

DECK LOG—TITLE PAGE  
NAVPERS 137 (REV. 4-52)

RESTRICTED—SECURITY INFORMATION

ROBERT J. FLETCHER



## LOG BOOK

OF THE

U. S. S. ABBOT (DD629)

DD629

IDENTIFICATION NUMBER

COMMANDED BY

ROBERT M. POND, CDR., U. S. N.

Attached to

102	Division,
10	Squadron,
2	Flotilla,
SECOND	Fleet,

Commencing 1 JANUARY, 19 59 ,

at NEWPORT, RHODE ISLAND,

and ending 31 JANUARY, 19 59 ,

at SEA

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE 16-44299-5

RESTRICTED—SECURITY INFORMATION







FOR OFFICIAL USE ONLY  
NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DDG29) ZONE DESCRIPTION F5R DATE 1 JANUARY 19 59  
AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	10	8	CLR	30.38	37	32						
02	045	8	8	CLR	30.40	36	35						
03	045	8	8	CLR	30.40	36	35						
04	045	8	8	CLR	30.40	36	35						
05	045	8	8	CLR	30.40	34	33						
06	045	8	8	CLR	30.40	35	33						
07	045	9	10	CLR	30.40	35	33						
08	045	8	12	CLR	30.39	40	35						
09	045	8	12	CLR	30.39	40	35						
10	030	6	12	CLR	30.39	40	35						
11	030	6	12	CLR	30.39	40	35						
12	030	6	12	CLR	30.36	49	45						
13	030	6	12	CLR	30.31	49	45						
14	030	6	12	CLR	30.32	45	43						
15	030	6	12	CLR	30.33	45	43						
16	030	3	5	OVRC	30.30	44	43						
17	070	5	5	OVRC	30.29	46	45						
18	045	2	5	OVRC	30.26	45	43						
19	035	4	6	OVRC	30.26	45	43						
20	035	3	5	OVRC	30.23	43	43						
21	090	3	3	OVRC	30.21	43	43						
22	095	3	3	OVRC	30.18	43	43						
23	095	2	3	OVRC	30.12	46	43						
24	070	4	4	OVRC	30.10	46	43						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME  GMT	Total Cloud Amt  (Code)	WIND		Visi- bili- ty  (90-99)	WEATHER		PRES- SURE  Baro- meter Cor- rected (mb)	Air Temp  (°F)	CLOUDS				
		Oc- tant  (1-7) (GMT)	Latitude  (0-3, 5-8)  (Degrees and tenths)	Longitude  (Degrees and tenths)			Direc- tion  (00-36)  (True)	Speed  (Knots)  (True)		Present  (00-99)	Past  (0-9)			Amount of Clouds C <sub>L</sub> (Code)	Type C (0-9)	Height C Clouds (Code)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>b</sub> L <sub>c</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  ° F	Dew Point  ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400FUEL CONSUMED  
0000-2400

EXAMINED

St. C. Mullin

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Thursday 1 January 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS—CONTINUED~~

00-04 The fires under boiler one  
Burn on through the night  
While number one generator labors  
To give the ABBOT her light.

COMDESLANT is SOPA  
His flagship the YOSEMITE.  
Ships of the fleet in Yuletide trim.  
Are quite a sight to see.

With standard destroyer moorings tied  
Portside to SHERMAN at Pier Two  
We say welcome to the New Year  
And to the old we bid adieu.

Moored outboard to starboard of ABBOT  
Other ships in DESRON 10  
ROBERTS, ROAN, ROYAL, HUNT  
Happy to be in Newport again.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

04-08 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

08-12 Moored as before. 0745 Mustered the crew on station; Absentees: None. 0930 Made daily inspection of magazines and smokeless powder samples; Conditions: Normal. 1119 Commenced taking on feed water from USS FORREST SHERMAN (DD931).

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

12-16 Moored as before. 1158 Completed taking on feed water, having received 9000 gallons of water.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

16-20 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

20-24 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U.S.N. COMMANDING.

*Robert L. Fallis*  
ROBERT L. FALLIS, ENS, USNR

U.S.N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

UNITED STATES SHIP

Thursday 1 January

1959 (1959)

(Day)

(Date)

(Month)

19

00-01 The fires under boiler one  
burn on through the night.  
While under one generator labor  
to give the light.

COMPLAINT is 2074  
His flagship the YOSEMITE.  
Ship of the fleet in Yuletide trim.  
Are quite a sight to see.

With standard destroyer mooring tied  
portside to SHIRAZ at Pier Two  
we say welcome to the New Year  
and to the old we bid adieu.

Moved outboard to starboard of ALBAT  
Other ships in VESPER 10  
ROBERTS, ROSE, ROSE, ROSE  
may be in the harbor again.

01-02 Moored as before.

02-12 Moored as before. 0015 started the new station; Appliances: None. 0930 P.M. Daily  
Inspection of magazines and munitions; Conditions: Normal. 1119 Connected  
tanks on tank water from W3100 (0001).

12-12 Moored as before. 1158 Completed taking on tank water, having received 7000 gallons of  
water.

14-12 Moored as before.

20-21 Moored as before.

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY  
NAVPER-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 2 JANUARY 19 59  
AT/PASSAGE FROM NEWPORT, R. I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	070	5	4	R	30.05	45	45						
02	030	5	4	R	30.00	43	41						
03	030	6	4	R	29.91	40	39						
04	030	6	4	R	29.91	40	39						
05	030	6	4	R	29.91	40	39						
06	030	7	5	R	29.78	44	41						
07	030	6	5	R	29.65	46	43						
08	030	6	5	R	29.58	47	43						
09	030	6	5	R	29.58	47	45						
10	030	5	5	R	29.58	48	45						
11	030	5	5	R	29.58	50	47						
12	030	5	10	R	29.52	50	48						
13	000	7	9	CLR	29.55	51	49						
14	000	7	9	CLR	29.56	51	49						
15	000	7	9	CLR	29.59	46	44						
16	000	7	9	CLR	29.62	46	44						
17	000	7	9	CLR	29.63	46	44						
18	000	7	9	CLR	29.63	45	44						
19	000	7	9	CLR	29.70	45	43						
20	000	6	7	CLR	29.70	45	43						
21	000	6	7	CLR	29.72	45	41						
22	000	6	7	CLR	29.74	42	41						
23	000	6	7	CLR	29.74	40	39						
24	000	6	7	CLR	29.76	39	39						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS					
		Oc- tant	Latitude	Longitude			Present	Past		Baro- meter Cor- rected (mb)	Amount of C <sub>L</sub> Clouds (0-100)	Type C <sub>L</sub> (0-9)		Height C <sub>L</sub> Clouds (0-9)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)			
	(1-7)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(GMT)	(Coded)			(True)				(True)				(90-99)	(00-99)	(0-9)
	(GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(GMT)	(Coded)			(True)				(True)				(90-99)	(00-99)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>	
														</					

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction  (00-36)	Period	Height	Indicator	Direction  (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400

IN PORT

FUEL CONSUMED  
0000-2400

IN PORT

EXAMINED

J. C. Mullin

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Friday 2 JAN 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS—CONTINUED~~

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard mooring lines plus one eight inch line forward in a nest of six destroyers at pier two, Newport, R.I. USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872), and USS HUNT (DD674) moored alongside to starboard in that order. Ships present include various units of the U.S. Atlantic Fleet. SOPA is COMDESLANT in USS YOSEMITE (AD19). Condition of readiness five and material condition yoke set. 0215. Storm condition three set.

*R. S. Stoddart*  
R. S. STODDART  
ENS USN

04-08 Moored as before.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

08-12 Moored as before. 0755 Mustered the crew at quarters. Absentees: MCCORMACK, C.R., TM3, 484 64 38, UA since 0730 this date, and LYNCH J.T., SN, 453 87 07, UA since 0730 this date. 100 Made daily inspection of magazines and smokeless powder samples; conditions normal.

JT  
JT

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

12-16 Moored as before. 1255 Secured from storm condition three.

JT

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

16-20 Moored as before. 1930 MEENEY, J.F., 517 69 67 RDSA returned aboard having been UA since 1300 this date.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

20-24 Moored as before.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR

U. S. N. COMMANDING.

*Robert L. Fallis*  
ROBERT L. FALLIS, ENS

U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE: 1956-O-408254



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP

(Day) (Date) (Month)

19

00-01 Moored as before. 0755 Mustered the crew at quarters. Addressed: MCCORMACK, C.R., JR., 1300 this date. 100 Made daily inspection of magazines and explosives powder stores; conditions normal.

01-02 Moored as before. 0755 Mustered the crew at quarters. Addressed: MCCORMACK, C.R., JR., 1300 this date. 100 Made daily inspection of magazines and explosives powder stores; conditions normal.

02-03 Moored as before. 0755 Mustered the crew at quarters. Addressed: MCCORMACK, C.R., JR., 1300 this date. 100 Made daily inspection of magazines and explosives powder stores; conditions normal.

03-04 Moored as before. 0755 Mustered the crew at quarters. Addressed: MCCORMACK, C.R., JR., 1300 this date. 100 Made daily inspection of magazines and explosives powder stores; conditions normal.

04-05 Moored as before. 0755 Mustered the crew at quarters. Addressed: MCCORMACK, C.R., JR., 1300 this date. 100 Made daily inspection of magazines and explosives powder stores; conditions normal.

05-06 Moored as before. 0755 Mustered the crew at quarters. Addressed: MCCORMACK, C.R., JR., 1300 this date. 100 Made daily inspection of magazines and explosives powder stores; conditions normal.

06-07 Moored as before. 0755 Mustered the crew at quarters. Addressed: MCCORMACK, C.R., JR., 1300 this date. 100 Made daily inspection of magazines and explosives powder stores; conditions normal.



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBT (DD629) ZONE DESCRIPTION +5R DATE 3 JANUARY 19 58AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	000	5	8	CLR	29.76	37	34						
02	000	5	8	CLR	29.76	36	34						
03	355	5	8	CLR	29.77	35	34						
04	350	5	8	CLR	29.77	37	34						
05	340	5	8	CLR	29.78	34	33						
06	310	5	8	CLR	29.79	35	33						
07	300	5	8	CLR	29.80	36	33						
08	285	5	8	CLR	29.82	39	34						
09	280	5	8	CLR	29.87	44	40						
10	280	5	8	CLR	29.83	43	41						
11	280	5	8	CLR	29.81	41	41						
12	280	5	8	CLR	29.80	45	45						
13	280	4	12	CLR	29.78	47	45						
14	285	4	12	CLR	29.77	48	45						
15	285	4	12	CLR	29.78	47	45						
16	285	4	10	CLR	29.80	49	45						
17	280	5	8	CLR	29.80	47	43						
18	280	5	5	CLR	29.84	47	43						
19	270	5	5	CLR	29.86	46	43						
20	000	3	3	CLR	29.86	48	45						
21	000	3	3	CLR	29.84	48	45						
22	000	3	3	CLR	29.84	48	45						
23	000	3	3	CLR	29.82	48	45						
24	000	4	7	CLR	29.82	46	45						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			Direction	Speed		Present	Past	Baro- meter Cor- rected (mb)		Amount of Clouds C <sub>L</sub> (0-9)	Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> Clouds L (0-9)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(00-36) (Coded)	(True) (Knots)			(90-99)				(00-99)					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400FUEL CONSUMED  
0000-2400

EXAMINED

*S. C. Mullin*

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Saturday 3 January, 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS—CONTINUED~~

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard mooring lines plus an 8-inch line to the pier forward, in berth 242, Newport, R.I., in a nest of six ships. Ships in nest from port to starboard are SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). 0010 LYNCH, J.T., 453 87 07, SN and MCCORMACK, C.R., 484 64 38, TM3, returned to the ship, having been UA since 0730, 2 January 1959. JT  
JT  
JT

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

04-08 Moored as before.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

08-12 Moored as before. 0745 Mustered the crew at quarters. Unauthorized Absentees: None. 0945 Made daily inspection of magazines and smokeless power samples. Conditions: Normal. 1120 Commenced taking on fuel from YO-248

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

12-16 Moored as before. 1215 Ceased pumping fuel oil from YO-248. Received 35,428 gallons NSFO. Rpt

*R. S. Stoddart*  
R.S. STODDART  
ENS. USN

16-20 Moored as before. 1610 Commenced taking on fresh water from pier. 1645 Secured from taking on fresh water. Received 13,777 gallons.

*R. S. Stoddart*  
R.S. STODDART  
ENS USN

20-24 Moored as before.

*R. L. Fallis*  
R.L. FALLIS  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR.

U. S. N. COMMANDING.

*Robert L. Fallis*  
ROBERT L. FALLIS, ENS.

U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-408254



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP USS LST-1161

\_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.











## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)

Sunday 4 January 19 59  
 (Day) (Date) (Month)

## SMOOTH REMARKS—CONTINUED

00-04 Moored port side to USS FOREST SHERMAN (DD931) with standard destroyer mooring lines, plus an 8-inch line to the pier forward in berth 242, Newport, R.I., in a nest of six ships. Ships in nest from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five and material condition Yoke are set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD-19). 162

*R.L. Fallis*  
 R.L. FALLIS  
 ENS USNR

04-08 Moored as before.

*R.S. Stoddart*  
 R.S. STODDART  
 ENS USN

08-12 Moored as before. 0800 Mustered the crew on station. Unauthorized absentees: None. 1000 Made daily inspection of magazines and smokeless power samples.

*R.S. Stoddart*  
 R.S. STODDART  
 ENS USN

12-16 Moored as before.

*J. S. Thurneysen*  
 J.S. THURNEYSEN  
 LTJG USN

16-20 Moored as before.

*J. S. Thurneysen*  
 J.S. THURNEYSEN  
 LTJG USN

20-24 Moored as before. 2200 Set storm condition three.

*J. S. Thurneysen*  
 J.S. THURNEYSEN  
 LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
 ROBERT M. POND, CDR.

U. S. N. COMMANDING.

*Robert L. Fallis*  
 ROBERT L. FALLIS, ENS.

U. S. N. R NAVIGATOR.



FOR OFFICIAL USE ONLY  
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP \_\_\_\_\_

\_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAYPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD-629) ZONE DESCRIPTION +5R DATE 5 JANUARY 1959  
AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	190	15	4	OVC	29.48	34	32						
02	190	15	4	OVC	29.47	30	28						
03	190	15	4	OVC	29.47	28	26						
04	200	15	4	CLR	29.52	25	25						
05	200	15	4	CLR	29.53	25	24						
06	175	15	4	CLR	29.61	25	24						
07	350	15	4	OVC	29.62	25	24						
08	345	25	8	CLR	29.69	24	23						
09	350	25	8	CLR	29.72	24	23						
10	350	25	8	CLR	29.72	22	21						
11	350	30	8	CLR	29.73	23	23						
12	350	30	8	CLR	29.74	21	24						
13	350	25	8	CLR	29.74	23	23						
14	350	25	8	CLR	29.75	23	23						
15	350	25	8	CLR	29.78	23	23						
16	350	35	8	CLR	29.85	23	23						
17	350	35	8	CLR	29.85	17	17						
18	350	35	8	CLR	29.85	17	17						
19	350	35	8	CLR	29.86	19	17						
20	350	38	7	CLR	29.86	15	14						
21	350	35	7	CLR	29.87	12	11						
22	350	33	7	CLR	29.88	12	11						
23	350	33	7	CLR	29.86	14	14						
24	350	35	6	CLR	29.86	15	15						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME  GMT	Total Cloud Amt  (Coded)	WIND		Visi- bili- ty  (90-99)	WEATHER		PRES- SURE	Air Temp  (°F)	CLOUDS				
		Oc- tant  (1-7) (GMT)	Latitude  (0-3, 5-8)  (Degrees and tenths)	Longitude  (Degrees and tenths)			Direction  (True) (00-36)	Speed  (True) (Knots)		Present  (00-99)	Past  (0-9)	Baro- meter Cor- rected (mb)		Amount of Clouds C <sub>L</sub> (Coded)	Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> Clouds L (Coded)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>s</sub> L <sub>o</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
													Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	c <sub>2</sub>	K	D <sub>i</sub>	r	e		
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										

MILES STEAMED  
0000-2400FUEL CONSUMED  
0000-2400

EXAMINED

G. C. Mullin

U. S. N. NAVIGATOR







CONFIDENTIAL

PAGE

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629) Monday 5 January, 19 59  
 (Day) (Date) (Month)

## ADDITIONAL REMARKS

00-04 Moored port side to the USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight-inch line to the pier forward in berth 242, Newport, R.I. Ships in the nest, from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872), and USS HUNT (DD674). Condition of readiness five, material condition Yoke and storm condition three set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). JT

*J. S. Thurneysen*  
 J. S. THURNEYSEN  
 LTJG USN

04-08 Moored as before.

*R. S. Stoddart*  
 R. S. STODDART  
 ENS USN

08-12 Moored as before. 0745 Mustered the crew at quarters; unauthorized absentees: McCarthy, D.W. 494 72 41, SA, USN and BETTIS, R.K., 467 31 36, SA, USN, UA since 0730 5 January 1959. 0945 Made daily inspection of magazines and smokeless powder samples, conditions normal.

*R. S. Stoddart*  
 R. S. STODDART  
 ENS USN

12-16 Moored as before. 1420 MCCARTHY, D.W., 494 72 41, SA, USN and BETTIS, R.K., 467 31 36, SA, USN, returned aboard having been UA since 0730, 5 January 1959. 1555 Set storm condition two. 28

*Robert L. Fallis*  
 ROBERT L. FALLIS  
 ENS USNR

16-20 Moored as before.

*Robert L. Fallis*  
 ROBERT L. FALLIS  
 ENS USNR

20-24 Moored as before.

*Robert L. Fallis*  
 ROBERT L. FALLIS  
 ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
 ROBERT M. POND, CDR

U. S. N.

COMMANDING.

*Robert L. Fallis*  
 ROBERT L. FALLIS, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED: \_\_\_\_\_

EXAMINED: \_\_\_\_\_

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS U. S. S. ABBOT (DD-629) ZONE DESCRIPTION +5R DATE 6 JAN 19 59AT/PASSAGE FROM NEWPORT, R.I. PIER #2 TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	350	30	4	CLR	29.85	16	16						
02	340	30	4	CLR	29.86	15	15						
03	340	30	4	CLR	29.85	14	14						
04	340	25	10	CLR	29.82	16	15						
05	340	25	10	CLR	29.81	16	15						
06	340	25	10	CLR	29.80	17	16						
07	340	25	10	CLR	29.81	18	17						
08	340	15	10	CLR	29.84	16	16						
09	355	20	12	CLR	29.84	16	16						
10	255	25	12	CLR	29.84	18	18						
11	255	25	12	CLR	29.85	21	20						
12	260	22	10	CLR	29.79	22	20						
13	190	24	12	CLR	29.78	24	22						
14	190	24	12	CLR	29.76	23	22						
15	190	24	12	CLR	29.76	23	22						
16	340	23	11	CLR	29.78	22	20						
17	340	23	11	CLR	29.77	23	22						
18	355	23	10	CLR	29.76	22	20						
19	355	23	9	CLR	29.76	23	20						
20	350	23	7	PAR	29.78	23	20						
21	300	22	5	PAR	29.82	24	22						
22	300	22	5	CLR	29.82	25	23						
23	300	20	5	CLR	29.82	25	23						
24	300	12	5	CLR	29.82	23	22						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 — CELESTIAL  
2 — ELECTRONIC  
3 — VISUAL  
4 — D. R.

CURRENT DATA	
FROM _____	(Date) _____
(ZT) _____	(Date) _____
TO _____	(Date) _____
(ZT) _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(Date) _____
(ZT) _____	(Date) _____
TO _____	(Date) _____
(ZT) _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME  GMT	Total Cloud Amt  (Coded)	WIND		Visi- bili- ty  (90-99)	WEATHER		PRES- SURE  Baro- meter Cor- rected (mb)	Air Temp  (°F)	CLOUDS				
		Oc- tant  (1-7) (GMT)	Latitude  (0-3, 5-8)  (Degrees and tenths)	Longitude  (Degrees and tenths)			Direc- tion  (00-36)  (True)	Speed  (Knots)  (True)		Present  (00-99)	Past  (0-9)			Amount of Clouds C <sub>L</sub> (Coded)  (00-36)	Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> Clouds (Coded)  (00-99)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(Date) _____
(ZT) _____	(Date) _____
TO _____	(Date) _____
(ZT) _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  ° F	Dew Point  ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400In PortFUEL CONSUMED  
0000-2400In Port

EXAMINED

A. C. Mullin

U. S. N. NAVIGATOR







CONFIDENTIAL

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Tuesday 6 January, 1959  
(Day) (Date) (Month)

## ADDITIONAL REMARKS

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus an eight-inch line to the pier forward in berth 242, Newport, R.I. Ships in the nest from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five, material condition Yoke and storm condition two set. Ships present include various units of the U.S. Atlantic Fleet, plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). as. 142 142 142

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

04-08 Moored as before. <sup>0745</sup> Mustered the crew at quarters, absentees: none. 0750 Secured storm condition two, set storm condition three. 142

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1145 Commenced taking fresh water from the pier.

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

12-16 Moored as before. 1230 Secured from taking on fresh water having received 9833 gallons of water. 1420 Ran eight inch line aft to the pier.

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

16-20 Moored as before.

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

20-24 Moored as before.

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED: \_\_\_\_\_

EXAMINED: \_\_\_\_\_

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBAT (DD629) ZONE DESCRIPTION +5R DATE 7 JANUARY 19 59  
AT/PASSAGE FROM NewPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	300	10	5	CLR	29.87	22	20						
02	300	10	5	CLR	29.86	22	20						
03	300	10	5	CLR	29.86	22	20						
04	340	10	7	CLR	29.85	20	19						
05	340	10	5	CLR	29.86	21	18						
06	340	10	5	CLR	29.86	26	24						
07	340	10	7	CLR	29.86	27	25						
08	340	10	8	CLR	29.86	27	25						
09	340	10	9	CLR	29.86	27	25						
10	340	10	9	CLR	29.87	27	25						
11	340	10	9	CLR	29.86	29	26						
12	340	10	9	CLR	29.86	31	26						
13	300	10	10	CLR	29.86	34	34						
14	300	10	10	CLR	29.86	35	33						
15	300	9	10	CLR	29.86	35	33						
16	300	9	7	CLR	29.87	35	33						
17	300	9	8	CLR	29.88	33	33						
18	300	9	8	CLR	29.90	33	30						
19	300	9	8	CLR	29.92	34	30						
20	300	9	8	CLR	29.90	31	30						
21	300	9	8	CLR	29.90	31	30						
22	300	9	8	CLR	29.96	31	30						
23	300	9	8	CLR	29.96	31	30						
24	340	9	8	CLR	29.99	31	29						

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 — CELESTIAL  
2 — ELECTRONIC  
3 — VISUAL  
4 — D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected	Amount of Clouds L (Coded)	Type C L (0-9)	Height C Clouds L (Coded)	Type C M (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	c <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400

IN PORT

FUEL CONSUMED  
0000-2400

IN PORT

EXAMINED

*L. C. Muller*

U. S. N. NAVIGATOR



UNITED STATES DEPARTMENT OF THE INTERIOR

WATER RESOURCES DIVISION

WASHINGTON, D. C. 20240

REPORT NO.

ATLAS NO.

DATE

BY

OF

FOR

FILE

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100



**CONFIDENTIAL**

NAVPERS 139 (REV. 1-44)

**DECK LOG—ADDITIONAL REMARKS SHEET**

PAGE \_\_\_\_\_

UNITED STATES SHIP

ABBOT (DD629)

Wednesday 7 January 1959  
(Day) (Date) (Month)**ADDITIONAL REMARKS**

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines forward and aft to the pier in berth 242, Newport, R.I. Ships in nest from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five, material condition Yoke and storm condition three set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). *192*

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

04-08 Moored as before. 0724 Cancel storm condition three. 0745 Mustered the crew at quarters, absentees: none. *192*

*Robert L. Fallis*  
ROBERT L. FALLIS  
ENS USNR

08-12 Moored as before. 0945 Made daily inspection of magazines and smokeless powder samples; conditions normal.

*R. P. Stoddart*  
R. S. STODDART  
ENS USN

12-16 Moored as before.

*B. S. Simonton*  
B. S. SIMONTON  
LTJG USN

16-20 Moored as before.

*B. S. Simonton*  
B. S. SIMONTON  
LTJG USN

20-24 Moored as before.

*B. S. Simonton*  
B. S. SIMONTON  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125







CONFIDENTIAL

PAGE

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP

ABBOT (DD629)

Thursday

8

January

1959

(Day)

(Date)

(Month)

## ADDITIONAL REMARKS

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines forward and aft to the pier in berth 242, Pier 2, Newport, R.I. in a nest of six ships. Ships in the nest from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet, yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

04-08 Moored as before.

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

08-12 Moored as before. 0745 Mustered the crew at quarters; absentees: none. 0956 The Special Court-Martial, LT. M.A. ARNHEITER, USN, Senior Member, appointed by the Commanding Officer, serial 758 of 30 December 1958, met in the case of MARRERO, D.R. 470 92 47, CSSA, USN. 1000 Made weekly test of magazine sprinkling and flooding system; conditions satisfactory. 1030 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1200 The Special Court-Martial in the case of MARRERO, D.R. 470 92 47, CSSA, USN, adjourned to await the action of the convening authority.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

12-16 Moored as before.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

16-20 Moored as before.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

20-24 Moored as before.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED: \_\_\_\_\_

EXAMINED: \_\_\_\_\_

\_\_\_\_\_  
U. S. N.

COMMANDING.

\_\_\_\_\_  
U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH











CONFIDENTIAL

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

PAGE \_\_\_\_\_

UNITED STATES SHIP ABBOT (DD629) Friday 9 January, 19 59  
 (Day) (Date) (Month)

## ADDITIONAL REMARKS

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard mooring lines plus eight-inch lines forward and aft to the pier, in berth 242, Newport, R.I. Ships in nest from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*J. S. Thurneysen*  
 J. S. THURNEYSEN  
 LTJG USN

04-08 Moored as before. 0800 COMDESFLOT 6 became SOPA in USS GRAND CANYON (AD28).

*J. S. Thurneysen*  
 J. S. THURNEYSEN  
 LTJG USN

08-12 Moored as before. 0745 Mustered the crew at quarters, absentees: none. 0920 Made daily inspection of magazines and smokeless powder samples, conditions normal.

*J. F. Skowronek*  
 J. F. SKOWRONEK  
 ENS USNR

12-16 Moored as before. 1241 Commenced fueling from Y0205. 1348 Secured fueling.

*J. F. Skowronek*  
 J. F. SKOWRONEK  
 ENS USNR

16-20 Moored as before.

*J. F. Skowronek*  
 J. F. SKOWRONEK  
 ENS USNR

20-24 Moored as before.

*J. F. Skowronek*  
 J. F. SKOWRONEK  
 ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
 ROBERT M. POND, CDR

U. S. N.

COMMANDING.

*George C. Mullin*  
 GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH











CONFIDENTIAL

PAGE

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP

ABBOT (DD629)

Saturday

10 January

19 59

(Day)

(Date)

(Month)

## ADDITIONAL REMARKS

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines forward and aft to the pier, in berth 242, Newport, Rhode Island. Ships in nest from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and District Craft. SOPA is COMDESFLOT 2 in USS GRAND CANYON (AD28).

G.C. Mullin

G.C. MULLIN  
ENS USN

04-08 Moored as before.

G.C. Mullin

G. C. MULLIN  
ENS USN

08-12 Moored as before. 0800 Mustered the crew on station. Absentees: none. Captain returned from ten days leave. 1000 Made daily inspections of all magazines and smokeless powder samples: conditions normal.

Bennet S. Simonton

BENNET S. SIMONTON  
LTJG USN

12-16 Moored as before. 1300 COMDESLANT assumed SOPA in USS YOSEMITE (AD19).

Bennet S. Simonton

BENNET S. SIMONTON  
LTJG USN

16-20 Moored as before.

Bennet S. Simonton

BENNET S. SIMONTON  
LTJG USN

20-24 Moored as before.

Bennet S. Simonton

BENNET S. SIMONTON  
LTJG, USN

APPROVED:

EXAMINED:

Robert M. Pond

ROBERT M. POND, CDR

U. S. N.

COMMANDING.

George C. Mullin

GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO 1ND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

\_\_\_\_\_  
U. S. N. COMMANDING.

\_\_\_\_\_  
U. S. N. NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125







CONFIDENTIAL

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Sunday 11 January, 19 59  
(Day) (Date) (Month)

## ADDITIONAL REMARKS

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines forward and aft to the pier in berth 242, Pier 2, Newport, R.I. in a nest of six ships. Ships in nest from port to starboard are FORREST SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872) and USS HUNT (DD674). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet, yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). 25

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

04-08 Moored as before.

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

08-12 Moored as before. 0800 Mustered the crew on station: Absentees: None. 1000 Made daily inspections of all magazines and smokeless powder samples; Conditions normal.

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

12-16 Moored as before.

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

16-20 Moored as before.

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

20-24 Moored as before.

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG - WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 12 JANUARY 19 59AT/PASSAGE FROM NewPORT RI TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	000	9	6	CLR	30.24	28	28						
02	000	9	6	CLR	30.25	28	28						
03	000	9	6	CLR	30.26	28	26						
04	000	5	6	CLR	30.27	29	26						
05	000	5	6	CLR	30.25	28	26						
06	000	5	6	CLR	30.27	26	23						
07	000	5	8	CLR	30.28	26	23						
08	000	6	8	CLR	30.31	29	23						
09	000	6	8	CLR	30.29	30	24						
10	000	6	8	CLR	30.27	33	27						
11	345	6	8	CLR	30.26	35	30						
12	345	5	10	CLR	30.24	38	30						
13	345	5	10	CLR	30.23	40	41						
14	056	5	10	CLR	30.22	43	40						
15	190	8	10	CLR	30.22	44	40						
16	050	4	10	CLR	30.20	44	40						
17	050	5	8	CLR	30.18	41	38						
18	050	6	8	CLR	30.18	38	38						
19	060	6	9	CLR	30.18	41	38						
20	060	4	9	CLR	30.12	44	37						
21	060	4	7	CLR	30.12	40	37						
22	060	3	7	CLR	30.10	38	36						
23	060	3	7	CLR	30.08	38	35						
24	060	3	6	CLR	30.05	38	35						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS					
		Oc- tant	Latitude	Longitude			Direc- tion	Speed		Present	Past			Baro- meter Cor- rected (mb)	Amount of Clouds L (Coded)	Type C (0-9) L	Height C Clouds L (Coded)	Type C M (0-9)	Type C H (0-9)
(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(00-36) (True)	(True) (Knots)	(90-99)	(00-99)	(0-9)		(°F)							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>	

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  ° F	Dew Point  ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400

IN PORT

FUEL CONSUMED  
0000-2400

IN PORT

EXAMINED

H. C. Mullin

U. S. N. NAVIGATOR







CONFIDENTIAL

PAGE

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP

ABBOT (DD629)

Monday

12 January

1959

(Day)

(Date)

(Month)

## ADDITIONAL REMARKS

00-04 Moored port side to USS FORREST SHERMAN (DD931) with standard destroyer mooring lines plus eight inch lines forward and aft to the pier in berth 242, Pier 2, Newport, R.I., in a nest of six ships. Ships in nest from port to starboard are SHERMAN, ABBOT, USS SAMUEL B. ROBERTS (DD823), USS CHARLES H. ROAN (DD853), USS FORREST ROYAL (DD872), USS HUNT (DD674). Condition or readiness five and material condition YOKE set. Ships present include various units of the U.S. Atlantic Fleet, yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*G. C. Mullin*  
G. C. MULLIN  
ENS USN

04-08 Moored as before.

*Bennet S. Simonton*  
BENNET S. SIMONTON  
LTJG USN

08-12 Moored as before. 0715 Mustered the crew at quarters; absentees: none. 0720 Commenced preparations for getting underway. 0730 Set material condition YOKE. 0800 Stationed special sea detail. 0810 Completed all preparations for getting underway. Draft: forward 14'0", aft 13'6". 0850 Underway for Prudence Island, steaming independently in accordance with COMDESRON 10 message 071842Z of Jan 1959. Executive Officer conning, Navigator on the bridge. 0855 Steaming various courses and speeds to proceed to the Prudence Island Area. 1015 Anchored in the vicinity of Prudence Island, in 11 fathoms of water, rock bottom, with 15 fathoms of chain to the port anchor on the following anchor bearings: CONANICUT POINT 283; PRUDENCE ISLAND TANK 355; GOULD ISLAND TANK 209. 1034 Commenced transferring ammunition. 1045 Completed transferring ammunition to NAD, PRUDENCE ISLAND. Transferred 51 7.2" projectors (service). 1052 Underway for Pier 1, Newport. 1128 Moored starboard side to HUNT in a nest of two destroyers moored starboard side to USS CADCADE (AD16) with standard destroyer mooring lines in berth 153. Ships present include various units of the U.S. Atlantic Fleet, yard and district craft. SOPA is COMDESLANT in YOSEMITE. 1130 Made daily inspection of magazines and smokeless powder samples: conditions normal.

*G. C. Mullin*  
G. C. MULLIN  
ENS USN

12-16 Moored as before. 1208 Received USS HALE (DD642) and USS HISSEM (DER400) alongside to port. 1530 USS MELVIN R. NAWMAN (DE416) moored starboard side to HISSEM.

*G. C. Mullin*  
G. C. MULLIN  
ENS USN

16-20 Moored as before.

*G. C. Mullin*  
G. C. MULLIN  
ENS USN

20-24 Moored as before.

*G. C. Mullin*  
G. C. MULLIN  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*

ROBERT M. POND, CDR

U. S. N.

COMMANDING.

*George C. Mullin*

GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED: \_\_\_\_\_

EXAMINED: \_\_\_\_\_

\_\_\_\_\_  
U. S. N.

COMMANDING.

\_\_\_\_\_  
U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



FOR OFFICIAL USE ONLY

NAVPER-717 (REV. 10-56)

## DECK LOG - WEATHER OBSERVATION SHEET

USS ARBOT (DD 629) ZONE DESCRIPTION +5R DATE 13 JANUARY 19 59  
AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	060	3	6	OVC	30.00	38	35						
02	060	3	6	OVC	29.02	39	36						
03	060	3	6	OVC	29.90	38	36						
04	060	3	6	OVC	29.89	38	36						
05	070	3	4	SPIN	29.86	37	35						
06	070	3	4	SNOW	29.82	37	35						
07	070	3	6	OVC	29.80	37	35						
08	070	3	6	OVC	29.79	37	35						
09	070	3	6	OVC	29.79	37	35						
10	070	3	6	OVC	29.74	37	35						
11	070	3	7	CLR	29.72	40	37						
12	070	3	7	CLR	29.72	40	37						
13	250	3	8	CLR	29.72	40	37						
14	250	3	8	CLR	29.74	40	38						
15	250	3	7	CLR	29.78	40	38						
16	250	3	8	CLR	29.82	39	38						
17	250	3	7	CLR	29.84	38	35						
18	250	4	7	CLR	29.88	37	35						
19	260	4	7	CLR	29.94	35	35						
20	260	4	7	CLR	29.93	35	32						
21	260	4	7	CLR	29.98	34	32						
22	260	4	7	CLR	29.99	33	32						
23	260	4	7	CLR	29.99	33	32						
24	260	4	7	CLR	30.00	35	31						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 — CELESTIAL  
2 — ELECTRONIC  
3 — VISUAL  
4 — D. R.

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			Present	Past		Baro- meter Cor- rected (mb)	Amount of Clouds C <sub>L</sub> (Coded)			Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> Clouds C <sub>L</sub> (Coded)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)	
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	Direction (True) (00-36)	Speed (True) (Knots)	(90-99)	(00-99)	(0-9)	(°F)						
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>
									</									

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	c <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400

IN PORT

FUEL CONSUMED  
0000-2400

IN PORT

EXAMINED

K. C. Mullin

U. S. N. NAVIGATOR







CONFIDENTIAL

PAGE

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP

ABBOT (DD629)

Tuesday 13 January

(Day)

(Date)

(Month)

19 59

## ADDITIONAL REMARKS

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in berth 153, Pier 1, Newport, R.I., in a nest of six ships. Ships in nest from starboard to port are: USS CASCADE (AD16), HUNT, ABBOT, USS HALE (DD642), USS HISSEM (DER 400), USS MELVIN R. NAWMAN (DE 416). Receiving various services from CASCADE. Material condition YOKE is set. Condition of readiness five. Ships present include various units of the U.S. Atlantic Fleet, yard and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

G. C. Mullin

G. C. MULLIN  
ENS USN

04-08 Moored as before.

R. S. Stoddart

R. S. STODDART  
ENS USN

08-12 Moored as before. 0750 Mustered the crew at quarters. Absentees: MARSHALL, Bruce (n), 474 36 33, FN, USN, UA since 0730 this date. 0945 Made daily inspection of magazines and smokeless powder samples. Conditions normal.

R. S. Stoddart

R. S. STODDART  
ENS USN

12-16 Moored as before. 1403 MARSHALL, B., FN, 474 36 33, returned to the ship, having been UA since 0730 this date.

J. S. Thurneysen

J. S. THURNEYSEN  
LTJG USN

16-20 Moored as before. 1755 Pursuant to BuPers orders 606044/3105 Pers B7121 dda-3 of 11 September 1958, LTJG J.E. GRIFFIN, SC, USNR, 606044, was detached from this ship to report to the nearest separation center for separation.

J. S. Thurneysen

J. S. THURNEYSEN  
LTJG USN

20-24 Moored as before.

J. S. Thurneysen

J. S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

Robert M. Pond

ROBERT M. POND, CDR

U. S. N.

COMMANDING.

George C. Mullin

GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED: \_\_\_\_\_

EXAMINED: \_\_\_\_\_

\_\_\_\_\_  
U. S. N. COMMANDING.

\_\_\_\_\_  
U. S. N. NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH.



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION 75R DATE 14 JANUARY 19 59AT/PASSAGE FROM NEWPORT, RHODE ISLAND TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	260	4	8	CLR	30.00	34	34						
02	260	4	8	CLR	30.00	33	33						
03	260	4	8	CLR	30.00	32	32						
04	260	4	8	CLR	30.00	32	32						
05	260	4	8	CLR	30.00	32	32						
06	260	5	7	CLR	30.04	33	33						
07	260	5	7	CLR	30.10	34	30						
08	260	5	10	CLR	30.10	32	32						
09	260	8	10	CLR	30.12	34	34						
10	260	8	10	CLR	30.10	34	34						
11	260	5	10	CLR	30.08	35	35						
12	260	4	9	CLR	30.00	39	40						
13	260	4	9	CLR	29.98	39	40						
14	260	4	9	CLR	29.98	42	42						
15	260	4	9	CLR	29.98	41	41						
16	255	6	10	CLR	29.97	40	41						
17	250	6	10	CLR	29.97	37	37						
18	250	6	10	CLR	29.97	37	37						
19	230	6	10	CLR	29.99	36	36						
20	230	6	10	CLR	29.99	35	35						
21	230	6	10	CLR	29.98	35	35						
22	230	6	10	CLR	29.94	34	32						
23	230	6	10	CLR	29.92	34	32						
24	230	6	8	CLR	29.90	36	34						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS					
		Oc- tant	Latitude	Longitude			Direc- tion	Speed		Present	Past			Baro- meter Cor- rected (mb)	Amount of C <sub>L</sub> Clouds (Coded)	Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> Clouds (Coded)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(00-36) (True)	(Knots) (True)	(90-99)	(00-99)	(0-9)		(°F)							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
													Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e		
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										

MILES STEAMED  
0000-2400  
IN PORT

FUEL CONSUMED  
0000-2400  
IN PORT

EXAMINED

A. C. Mullin

U. S. N. NAVIGATOR







**CONFIDENTIAL**

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

**DECK LOG—ADDITIONAL REMARKS SHEET**UNITED STATES SHIP ABBOT (DD629)Wednesday 14 January 1959  
(Day) (Date) (Month)**ADDITIONAL REMARKS**

00-04 Moored ~~starboard~~ side to USS HUNT (DD674) with standard destroyer mooring lines in berth 153, Newport, R.I. in a nest of six ships. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HALE (DD642), USS HISSEM (DER400), USS MELVIN R. NAWMAN (DE416). Receiving miscellaneous services from the tender. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19) JT

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

04-08 Moored as before.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

08-12 Moored as before. 0748 Mustered the crew at quarters; Absentees: None. 0935 Made daily inspection of magazines and smokeless powder samples; Condition normal.

*J. F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

12-16 Moored as before.

*J. F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*J. F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

20-24 Moored as before.

*J. F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



**DECK LOG—ADDITIONAL REMARKS SHEET**

**CONFIDENTIAL**

UNITED STATES SHIP

(Day)

(Date)

(Month)

19

**ADDITIONAL REMARKS**

**APPROVED:**

**EXAMINED:**

U. S. N

## COMMANDING.

U. S. N.

## NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 -- 406125







**CONFIDENTIAL**

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

**DECK LOG—ADDITIONAL REMARKS SHEET**UNITED STATES SHIP ABBOT (DD629)Thursday 15 January, 19 59  
(Day) (Date) (Month)**ADDITIONAL REMARKS**

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in berth 153, Newport, R.I. in a nest of six ships. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HALE (DD642), USS HISSEM (DER400), USS MELVIN R. NAWMAN (DE416). Receiving miscellaneous services from the tender. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19)

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

04-08 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: None. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1005 Made weekly test of magazines sprinkling and flooding system; Conditions Satisfactory.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

12-16 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

20-24 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



**UNITED STATES SHIP**

(Day)

(Date)

(Month)

13

**ADDITIONAL REMARKS**

**APPROVED:**

**EXAMINED:**

U.S.N.

**COMMANDING.**

U S N.

## NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



☆ U. S. GOVERNMENT PRINTING OFFICE : 1956 .. 406125







CONFIDENTIAL

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP

ABBOT (DD629)

Friday  
(Day)16  
(Date)January  
(Month)

1959

## ADDITIONAL REMARKS

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in berth 153 Newport, R.I. in a nest of six ships. Ships in nest from starboard to port are: USS CASCADE (AD16), HUNT, ABBOT, USS HALE (DD642), USS HISSEM (DER400), USS MELVIN R. NAWMAN (DE416). Receiving various services from the tender. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). 0110 Commenced taking on fresh water from the CASCADE. 0223 Secured taking on fresh water. Received 6,328 gallons.

*R. S. Stoddart*  
R. S. STODDART,  
ENS USN

04-08 Moored as before.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

08-12 Moored as before. 0750 Mustered the crew at quarters; absentees: DENNY, Frank E., 518 60 30, FN, USN, UA since 0730 this date. 1000 Made daily inspection of magazines and smokeless powder samples; conditions normal.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

12-16 Moored as before. 1205 DENNY, Frank E., 518 60 30, FN, USN, returned aboard having been UA since 0730 this date.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

16-20 Moored as before.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

20-24 Moored as before. 2000 Set storm condition three.

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19 \_\_\_\_\_

ADDITIONAL REMARKS

APPROVED: \_\_\_\_\_

EXAMINED: \_\_\_\_\_

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH











~~CONFIDENTIAL~~

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Saturday

17

January

59

(Day)

(Date)

(Month)

~~ADDITIONAL REMARKS~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in a nest of six ships in berth 153, Newport, R.I. Ships in nest from port to starboard are USS <sup>starboard to port</sup> CASCADE (AD16), USS HUNT, ABBOT, USS HALE (DD642), USS HISSEM (DER400) and USS MELVIN R. NAWMAN (DE416). Condition of readiness five, material condition Yoke and storm condition three set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

04-08 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

08-12 Moored as before. 0745 Mustered the crew on station; Unauthorized Absentees: None. 0930 Made daily inspection of magazines and smokeless powder samples; Conditions Normal.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

12-16 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

16-20 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

20-24 Moored as before. 2130 Storm condition three cancelled.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND. BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

ADDITIONAL REMARKS

00-01. Arrived at Pearl Harbor (1900) with standard deckover mooring lines in place. Of six ships in berth 133, New York, A.L. Ship in berth from post 133. CASCO (1310), USS WEST, ARCTIC, USS HALL (1042), USS HISS (1040) and USS V. HANNAH (1041). Condition of personnel live, material condition good and storm condition three set. Ships present include various units of the U.S. Atlantic Fleet and District craft. 00-01 is completed in accordance with (AR).  
R.S. STODART  
ENS USN

04-08. Moored as before.

G.C. MURPHY  
ENS USN

08-12. Moored as before. 0745 Muster. The crew on station; Unauthorized Absentees: None. 0930 Made daily inspection of magazines and smokeless powder supplies; Condition: Normal.  
R.S. STODART  
ENS USN

12-16. Moored as before.

R.S. STODART  
ENS USN

1-20. Moored as before.

R.S. STODART  
ENS USN

20-21. Moored as before. 2130 Storm condition times cancelled.

R.S. STODART  
ENS USN

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR











~~CONFIDENTIAL~~

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)

Sunday

18

January, 1959

(Day)

(Date)

(Month)

## ADDITIONAL REMARKS

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in a nest of six ships, in berth 153, Newport, R.I. Ships in nest from ~~port to starboard~~ <sup>starboard to port</sup> are USS CASCADE (AD16), USS HUNT, ABBOT, USS HALE (DD642), USS HISSEM (DER400), and USS MELVIN R NAWMAN (DE-411). Condition of readiness five and material condition Yoke set. Receiving various services from CASCADE. Ships present include units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). billy  
20 my

*R. P. Stoddart*  
R.S. STODDART  
ENS USN

04-08 Moored as before.

*R. P. Stoddart*  
R.S. STODDART  
ENS USN

08-12 Moored as before. 0750 Mustered the crew on station : Unauthorized absentees: None. 1100 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

*R. P. Stoddart*  
R.S. STODDART  
ENS USN

12-16 Moored as before.

*R. P. Stoddart*  
R.S. STODDART  
ENS USN

16-20 Moored as before.

*R. P. Stoddart*  
R.S. STODDART  
ENS USN

20-24 Moored as before.

*R. P. Stoddart*  
R.S. STODDART  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

19 \_\_\_\_\_

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH











## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Monday 19 Jan 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS—CONTINUE~~

00-04 Moored starboard side to USS HUNT (DD674) with standard mooring lines in a nest of six ships, in berth 153, Pier One, Newport, R.I. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HALE (DD642), USS HISSEM (DER400), and USS MELVIN R. NAWMAN (DER408). Condition of readiness five and material condition Yoke set. Receiving various services from CASCADE. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*R.P. Stoddart*  
R.S. STODDART  
ENS USN

04-08 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

08-12 Moored as before. 0745 Mustered crew at quarters; Absentees: None. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal; 0912 HISSEM got underway from nest.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

12-16 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

16-20 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

20-24 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N. COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-408254



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP \_\_\_\_\_

\_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

\_\_\_\_\_, U. S. N. COMMANDING.

\_\_\_\_\_, U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 20 JANUARY 1959  
AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	260	4	4	R	30.34	40	35						
02	260	4	4	R	30.34	40	35						
03	260	4	4	OVC	30.36	40	35						
04	260	3	4	OVC	30.32	39	35						
05	260	3	5	OVC	30.37	39	35						
06	260	3	5	OVC	30.32	39	35						
07	260	5	5	OVC	30.39	40	34						
08	264	5	5	OVC	30.38	40	34						
09	264	5	6	BKN	30.39	40	34						
10	264	5	6	BKN	30.37	40	35						
11	269	5	6	BKN	30.40	41	35						
12	269	5	6	BKN	30.40	41	35						
13	269	3	8	SCT	30.39	41	36						
14	269	3	8	SCT	30.38	41	36						
15	269	3	8	SCT	30.38	40	36						
16	270	3	8	SCT	30.36	40	36						
17	270	6	8	SCT	30.36	42	36						
18	270	6	8	CLR	30.35	42	37						
19	269	6	8	CLR	30.33	43	37						
20	269	6	6	SCT	30.33	43	37						
21	269	6	6	OVC	30.33	43	36						
22	269	6	6	OVC	30.31	42	35						
23	269	6	6	OVC	30.31	43	35						
24	269	6	6	OVC	30.30	43	35						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 — CELESTIAL  
2 — ELECTRONIC  
3 — VISUAL  
4 — D. R.

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	POSITION OF SHIP				TIME GMT	WIND			VISI-bili-ty (90-99)	WEATHER		PRES-SURE Baro-meter Cor-rected (mb)	Air Temp (°F)	CLOUDS				
	Day of week (1-7)	Oc-tant (0-3)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)		Total Cloud Amt (Coded)	Direc-tion (True) (00-36)	Speed (Knots) (90-99)		Present	Past			Amount of Clouds C <sub>L</sub> (Coded)	Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> (Coded)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
	(GMT)	(5-8)	(Degrees and tenths)	(Degrees and tenths)		(Coded)	(True) (00-36)	(Knots) (90-99)		(00-99)	(0-9)			(0-9)	(0-9)	(0-9)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESSURE TENDENCY (0-9)		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  ° F	Dew Point  ° F	WAVES				WAVES				ICE				
													Indicator	Direc- tion  (00-36)	Period	Height	Indicator	Direc- tion  (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e		
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										

MILES STEAMED  
0000-2400  
Im Port

FUEL CONSUMED  
0000-2400  
Im Port

EXAMINED

M. E. Mullin

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Tuesday 20 Jan 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in a nest of five ships in berth 153, Newport, R.I. Ships in nest from <sup>starboard to port</sup> port to starboard are USS CASCADE (AD16), HUNT, ABBOT, USS HALE (DD642), AND USS MELVIN R. NAWMAN (DE418). Condition of readiness five and material condition Yoke set. Receiving various services from CASCADE. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). 6c m  
2c m

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

04-08 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: None. 0930 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

12-16 Moored as before. 1210 Received fifty-seven (57) plaster loaded 7".2 projectiles from NAD PRUDENCE ISLAND. 1500 COMDESFLOT 2 assumed SOPA NARRABAY SUBAREA.

*G.C. Mullin*  
G. C. MULLIN  
ENS USN

16-20 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

20-24 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR.



FOR OFFICIAL USE ONLY  
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP \_\_\_\_\_

\_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629)ZONE DESCRIPTION +5R DATE 21 JANUARY 19 59AT/PASSAGE FROM NewPORT, R.I.

TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	269	6	6	OVC	30.30	43	71						
02	269	6	6	OVC	30.26	43	41						
03	269	6	6	OVC	30.22	42	71						
04	269	3	3	OVC	30.20	48	41						
05	010	3	3	OVC	30.19	46	72						
06	010	3	3	OVC	30.19	47	43						
07	010	2	6	OVC	30.19	47	43						
08	010	3	6	OVC	30.20	47	43						
09	180	4	2	OVC	30.20	47	43						
10	190	4	2	OVC	30.20	47	43						
11	190	4	2	OVC	30.18	48	43						
12	200	4	2	OVC	30.01	49	43						
13	200	3	1/4	OVC	30.01	49	45						
14	200	3	1/8	OVC	30.01	49	45						
15	200	4	1/8	OVC	30.03	49	45						
16	200	4	1/8	FOG	29.93	49	45						
17	200	5	1/8	FOG	29.88	50	45						
18	200	5	1/8	FOG	29.85	51	77						
19	200	8	1/8	FOG	29.83	49	44						
20	200	6	1/8	FOG	30.14	50	47						
21	200	6	1/8	R	30.15	50	47						
22	200	6	1/8	R	30.15	50	45						
23	200	5	1/8	R	30.14	49	45						
24	200	6	2	R	30.16	50	45						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			Baro- meter Cor- rected (mb)	Present		Past	Amount of C Clouds L (Code)	Type C (0-9)		Height C Clouds L (Code)	Type C M (0-9)	Type C H (0-9)		
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(True)	(True)			(90-99)				(00-99)				(0-9)	(°F)
	GMT	(Code)	(00-36)	(Knots)	(00-99)	(00-99)	(0-9)	(°F)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400FUEL CONSUMED  
0000-2400

EXAMINED

J. C. Mullin

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Wednesday 21 Jan 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS—CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in a nest of five ships in berth 153, Newport, R.I. Ships in nest from ~~port to starboard~~ <sup>starboard to port</sup> are USS CASCADE (AD16), HUNT, ABBOT, USS HALE (DD642), and USS MELVIN R. NAWMAN (DE416). Condition of readiness five and material condition Yoke set. Receiving various services from CASCADE. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA NARRABAY SUBAREA is COMDESFLOT 2 in USS CASCADE (AD16). 0100 COMDESLANT in USS YOSEMITE (AD19) resumed SOPA NARRABAY SUBAREA. lay

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

04-08 Moored as before.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: None. 0800 COMDESFLOT TWO in USS CASCADE (AD16) assumed SOPA. 0924 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

12-16 Moored as before.

*J. F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

20-24 Moored as before.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N. COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS USN

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP \_\_\_\_\_

\_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

\_\_\_\_\_  
U. S. N. COMMANDING.


\_\_\_\_\_  
U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH











## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Thursday 22 JAN 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines in a nest of five ships, in berth 153, Newport, R.I. Ships in nest from starboard to port are USS CASCADE (AD16), USS HUNT, USS ABBOT, USS HALE (DD642) and USS MELVIN R. NAWMAN (DE416). Receiving miscellaneous services from the tender. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESFLOT TWO in CASCADE. 0121 Set storm condition three. J

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

04-08 Moored as before.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

08-12 Moored as before. 0745 Mustered the crew at quarters, absentees: none. 0940 Made weekly test of magazine sprinkling and flooding system; conditions satisfactory. 0945 Made daily inspection of magazines and smokeless powder samples; conditions normal. 0955 Set storm condition two. 1210 Storm condition two cancelled. Set storm condition three. 1100 Put 8 inch line over aft to the pier.

*J. F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR LCH

12-16 Moored as before. 1426 HALE and MELVIN R. NAWMAN breasted out by tugs. 1432 USS HUGH PURVIS (DD709) moored starboard side to ABBOT. 1445 HALE and NAWMAN moored starboard side to PURVIS.

*G. C. Mullin*  
G.C. MULLIN  
ENS USN

16-20 Moored as before. 1605 Storm condition three cancelled. 1800 COMDESLANT resumed SOPA NARRABAY SUBAREA in USS YOSEMITE (AD19).

*R. S. Stoddart*  
R.S. STODDART  
ENS USN

20-24 Moored as before.

*R. S. Stoddart*  
R.S. STODDART  
ENS USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR,

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-408254



FOR OFFICIAL USE ONLY  
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP \_\_\_\_\_

\_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

\_\_\_\_\_, U. S. N. COMMANDING.

\_\_\_\_\_, U. S. N. NAVIGATOR.











## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Friday 23 Jan 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines and an eight inch line to the pier aft in a nest of six ships in berth 153, Newport, R.I. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HUGH PURVIS (DD709), USS HALE (DD642), AND USS MELVIN R. NAWMAN (DE416). Receiving miscellaneous services from CASCADE. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). RPP  
RPP

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

04-08 Moored as before.

*R.S. Stoddart*  
R.S. STODDART  
ENS USN

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: None. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal. MELVIN R. NAWMAN got underway.

*G.C. Mullin*  
G.C. MULLIN  
ENS USN

12-16 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

20-24 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N. COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN U. S. N. NAVIGATOR.

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956-O-408254



FOR OFFICIAL USE ONLY  
NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP \_\_\_\_\_

\_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

\_\_\_\_\_  
U. S. N. COMMANDING.

\_\_\_\_\_  
U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAYPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 24 JANUARY 19 59AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	000	6	8	CLR	30.40	22	20						
02	000	6	8	CLR	30.40	22	21						
03	000	6	8	CLR	30.40	22	21						
04	000	6	8	CLR	30.40	22	19						
05	000	6	8	CLR	30.40	22	19						
06	000	6	8	CLR	30.40	20	19						
07	000	4	8	CLR	30.42	21	20						
08	000	4	8	CLR	30.42	21	19						
09	000	4	8	CLR	30.42	21	19						
10	000	4	8	CLR	30.42	23	20						
11	000	4	8	CLR	30.41	25	21						
12	000	4	8	CLR	30.40	28	19						
13	270	4	10	CLR	30.40	29	20						
14	250	4	10	CLR	30.38	30	20						
15	250	4	10	CLR	30.38	29	20						
16	240	5	10	CLR	30.38	26	21						
17	240	5	8	CLR	30.38	30	21						
18	240	5	6	CLR	30.38	29	21						
19	240	5	6	CLR	30.38	29	22						
20	240	5	6	CLR	30.33	30	23						
21	140	5	6	CLR	30.28	32	23						
22	140	7	5	S	30.24	35	25						
23	140	6	5	OVC	30.20	37	25						
24	120	10	5	OVC	30.10	41	28						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week  (1-7) (GMT)	POSITION OF SHIP			TIME  GMT	Total Cloud Amt  (Coded)	WIND		Visi- bil- ity  (90-99)	WEATHER		PRES- SURE  Baro- meter Cor- rected (mb)	Air Temp  (°F)	CLOUDS				
		Oc- tant  (0-3, 5-8)	Latitude  (Degrees and tenths)	Longitude  (Degrees and tenths)			Direc- tion  (True) (00-36)	Speed  (True) (Knots)		Present	Past			Amount of Clouds C <sub>L</sub> (Coded)	Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> (Coded)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>b</sub> L <sub>c</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400  
IN PORT

FUEL CONSUMED  
0000-2400  
IN PORT

EXAMINED

S. C. Mullin

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Saturday 24 January 19 59  
(Day) (Date) (Month)~~XXXXXXXXXXXXXXXXXXXX~~  
~~SMOOTH REMARKS CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines and an eight inch line aft to the pier in a nest of five ships in berth 153, Newport, R.I. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HUGH PURVIS (DD709), USS HALE (DD642). Receiving miscellaneous services from CASCADE. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

04-08 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew on station; Absentees: None. 0855 Made daily inspection of magazines and smokeless powder samples: Conditions normal. 1115 USS HAZELWOOD (DD531) stood in and moored ~~starboard~~ side to USS HALE (DD642). 985

PORT

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

12-16 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

20-24 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP

Saturday

ABOAT (D002)

19

(Day) (Date) (Month)

XXXXXXXXXXXXXXXXXXXX

00-04 Moored alongside side to USS ABT (D002) with standard destroyer mooring lines and an  
eight inch line aft to the pier in a neat arrangement in berth 133, New York. Ship  
in port from standard to port are USS CASABLANCA (AD16), USS ABT (D002), USS  
USS ABT (D002). Receiving standard services from CASABLANCA. Condition of moorings  
five and material condition. Ship's present income varies with the U.S.  
Atlantic Fleet's maintenance effort. 20th is COMUSMACV in USS YAMAGUCHI (D002).

J.T. SKOWRONSKI  
ENS USN

04-08 Moored as before.

J.T. SKOWRONSKI  
ENS USN

08-12 Moored as before. CWS Mustered the crew on station; Personnel: none.  
Inspection of moorings and main deck powder samples: Condition normal. 11th  
(D002) stood in and moored alongside to USS ABT (D002).

J.T. SKOWRONSKI  
ENS USN

12-16 Moored as before.

J.T. SKOWRONSKI  
ENS USN

16-20 Moored as before.

J.T. SKOWRONSKI  
ENS USN

20-24 Moored as before.

J.T. SKOWRONSKI  
ENS USN

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629)ZONE DESCRIPTION +5R DATE 25 JANUARY 19 59AT/PASSAGE FROM NEWPORT, RI.

TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	120	9	5	OVC	30.10	41	37						
02	120	9	5	OVC	30.05	41	37						
03	120	9	5	OVC	30.00	41	37						
04	120	8	6	OVC	30.00	42	37						
05	120	7	6	OVC	29.90	42	39						
06	120	7	6	OVC	29.80	46	40						
07	120	6	6	OVC	29.80	46	40						
08	120	4	6	OVC	29.94	44	40						
09	100	4	6	OVC	29.94	43	40						
10	150	6	6	OVC	29.93	44	40						
11	150	5	6	OVC	29.91	44	42						
12	150	5	6	OVC	29.86	49	43						
13	150	5	6	OVC	29.84	50	43						
14	150	6	6	OVC	29.83	51	43						
15	150	7	6	OVC	29.84	49	44						
16	150	6	6	OVC	29.85	48	44						
17	150	6	6	OVC	29.85	43	41						
18	150	6	6	OVC	29.85	43	41						
19	150	6	6	OVC	29.85	43	41						
20	150	6	6	OVC	29.96	41	41						
21	150	6	5	OVC	29.98	40	36						
22	150	6	5	OVC	30.00	38	35						
23	150	5	4	OVC	30.00	36	35						
24	150	4	5	OVC	30.00	35	34						

TABLE II

## SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week		POSITION OF SHIP		TIME	Total Cloud Amt	WIND		Visi-bil-ity	WEATHER		PRES-SURE	Air Temp	CLOUDS				
			Latitude	Longitude			Direction	Speed		Present	Past			Amount of Clouds L (Coded)	Type C (0-9)	Height C (Coded)	Type C (0-9)	Type C (0-9)
	(1-7) (GMT)	(0-3) (5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(Knots) (00-99)	(90-99)	(00-99)	(0-9)	Baro-meter Cor-rected (mb)	(°F)					
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  ° F	Dew Point  ° F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

EXAMINED

H. C. Mullin

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Sunday 25 January 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines and an eight inch line aft to the pier in a nest of six ships in berth 153, Newport, R.I. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HUGH PURVIS (DD709), USS HALE (DD642), and USS HAZELWOOD (DD531). Receiving miscellaneous services from CASCADE. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

04-08 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew on station; Absentees: None. 0945 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 985

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

12-16 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

20-24 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP

19  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY  
 NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629) ZONE DESCRIPTION +5R DATE 26 JANUARY 1959  
 AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	150	5	2	OVC	30.00	36	31						
02	130	4	2	OVC	30.11	34	31						
03	120	5	2	OVC	30.12	30	27						
04	090	5	4	OVC	30.17	29	26						
05	090	5	4	OVC	30.16	27	26						
06	020	5	4	OVC	30.21	26	26						
07	100	5	4	OVC	30.26	24	20						
08	100	5	4	OVC	30.30	20	19						
09	100	5	4	OVC	30.30	20	19						
10	100	5	4	OVC	30.30	20	17						
11	100	5	4	OVC	30.31	19	17						
12	100	5	4	CLR	30.30	31	21						
13	100	5	4	CLR	30.31	31	21						
14	100	5	4	CLR	30.31	34	21						
15	100	5	4	CLR	30.31	33	22						
16	100	5	3	CLR	30.31	33	22						
17	100	5	3	CLR	30.31	33	23						
18	100	4	3	CLR	30.00	33	23						
19	100	4	3	CLR	30.00	32	21						
20	100	4	3	CLR	30.31	28	21						
21	100	4	3	CLR	30.31	27	21						
22	100	4	3	CLR	30.00	27	21						
23	100	4	3	CLR	30.00	28	26						
24	100	4	3	CLR	30.00	28	20						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
 2 - ELECTRONIC  
 3 - VISUAL  
 4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
 SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Occ- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected (mb)	Amount of Clouds L (Coded)	Type C L (0-9)	Height C L (Coded)	Type C M (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(°F)	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator (00-36)	Direction	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
 0000-2400  
IN PORT

FUEL CONSUMED  
 0000-2400  
IN PORT

EXAMINED  
L. C. Mullin

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Monday 26 January 19 59  
(Day) (Date) (Month)~~SMOOTH REMARKS CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines and an eight inch line aft to the pier in a nest of six ships in berth 153, Newport, R.I. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HUGH PURVIS (DD709), USS HALE (DD642), and USS HAZELWOOD (DD531). Receiving miscellaneous services from CASCADE. Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

04-08 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: BURGETTE, SR, UA since 0730, 26 January 1959. 0852 USS HALE (DD642) got underway and stood out of the harbor. 0915 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1045 BURGETTE, SR, returned on board being UA since 0730 this date.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

12-16 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

20-24 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N. COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP

19  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.











~~CONFIDENTIAL~~

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Tuesday 27 JAN, 19 59  
(Day) (Date) (Month)

## ADDITIONAL REMARKS

00-04 Moored starboard side to USS HUNT (DD674) with standard destroyer mooring lines and an eight inch line over aft to the pier in a nest of five ships in berth 153, Newport, R.I. Ships in nest from starboard to port are USS CASCADE (AD16), HUNT, ABBOT, USS HUGH PURVIS (DD709), and USS HAZELWOOD (DD531). Receiving miscellaneous services from CASCADE. *lcm*  
Condition of readiness five and material *als* condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

04-08 Moored as before. 0715 The Commanding Officer of the USS CASCADE assumed duties of SOPA.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: NESBY, SN, UA since 0730, 27 January 1959. 0840 NESBY, SN, returned to the ship UA since 0730 this date. 0912 HAZELWOOD got underway and stood out of the harbor. 0945 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

12-16 Moored as before. 1100 COMDESFLOT TWO broke his flag aboard USS CASCADE and became SOPA. 1545 COMDESLANT broke his flag aboard USS YOSEMITE and became SOPA.

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

16-20 Moored as before.

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

20-24 Moored as before.

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED: \_\_\_\_\_

EXAMINED: \_\_\_\_\_

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH



FOR OFFICIAL USE ONLY  
NAVPER-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS ARBOT (DDG29) ZONE DESCRIPTION +5R DATE 28 JANUARY 1959  
AT/PASSAGE FROM NEWPORT, R.I. TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	120	8	4	CLR	30.19	29	27						
02	120	8	4	CLR	30.10	30	27						
03	120	8	4	CLR	30.22	30	27						
04	120	8	4	CLR	30.24	29	25						
05	120	8	5	CLR	30.24	28	25						
06	120	8	5	CLR	30.24	28	25						
07	120	8	7	CLR	30.30	28	25						
08	120	8	7	CLR	30.30	28	24						
09	120	8	7	CLR	30.30	28	24						
10	120	7	8	CLR	30.30	29	24						
11	120	6	8	CLR	30.30	31	24						
12	120	6	8	CLR	30.30	32	25						
	1												
13	120	6	8	CLR	30.28	32	27						
14	120	6	8	CLR	30.28	38	27						
15	120	6	8	CLR	30.28	37	27						
16	120	6	8	CLR	30.28	35	28						
17	120	6	6	CLR	30.30	26	28						
18	120	6	5	CLR	30.30	36	28						
19	120	6	4	CLR	30.30	35	28						
20	120	4	4	CLR	30.31	30	27						
21	120	4	4	CLR	30.31	31	27						
22	120	4	4	CLR	30.31	30	27						
23	120	4	4	CLR	30.30	30	26						
24	120	4	4	CLR	30.22	32	26						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Oc- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected	Amount of Clouds C <sub>L</sub>	Type C <sub>L</sub>	Height C <sub>L</sub>	Type C <sub>M</sub>
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(00-36) (True)	(Knots) (True)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	C <sub>L</sub> (Coded)	(0-9) L	C <sub>L</sub> (Coded)	(0-9) M	(0-9) H
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	c <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400  
IN PORT

FUEL CONSUMED  
0000-2400  
IN PORT

EXAMINED  
G. C. Muller

U. S. N. NAVIGATOR







## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Wednesday 28 JAN 1959  
(Day) (Date) (Month)~~REMARKS CONTINUED~~

00-04 Moored starboard side to USS HUNT (DD674) with standard mooring lines and an eight inch line over aft to the pier in a nest of four ships, in berth 153, Newport, R.I. Ships in nest are, from starboard to port USS CASCADE (AD16), HUNT, ABBOT, and USS HUGH PURVIS (DD709). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19).

*J. S. Thurneysen*  
J. S. THURNEYSEN  
LTJG USN

04-08 Moored as before.

*J. F. Skowronek*  
J. F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: JONES, G.H., 519 69 37, EM3, USN, UA since 0730, 28 January 1959. 0850 The Special Court-Martial, LT Marcus A. ARNHEITER, USN, Senior Member, appointed by the commanding officer, serial 56 met in the case of MARSHALL, B., 474 36 33, SA, USN. 0925 JONES, G.H., 519 69 37, EM3, USN, returned aboard having been AOL since 0730 this date. 0935 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1120 The Special Court-Martial in the case of MARSHALL, B., 474 36 33, SA, USN adjourned this date.

*J. F. Skowronek*  
J. F. SKOWRONEK  
ENS USNR

12-16 Moored as before.

*J. F. Skowronek*  
J. F. SKOWRONEK  
ENS USNR

16-20 Moored as before.

*J. F. Skowronek*  
J. F. SKOWRONEK  
ENS USNR

20-24 Moored as before.

*J. F. Skowronek*  
J. F. SKOWRONEK  
ENS USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR,

U. S. N. COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS,

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP

(Day) (Date) (Month)

19

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAYPERS-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD629)ZONE DESCRIPTION L5RDATE 29 JANUARY19 59AT/PASSAGE FROM NEWPORT, R.I.

TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	130	5	6	CLR	30.32	32	30						
02	130	5	6	CLR	30.33	32	30						
03	130	5	6	CLR	30.33	32	30						
04	130	4	6	CLR	30.33	32	30						
05	140	5	6	CLR	30.33	33	30						
06	140	5	6	CLR	30.33	33	30						
07	140	5	6	CLR	30.34	33	29						
08	140	5	6	CLR	30.38	34	29						
09	140	5	6	CLR	30.38	36	30						
10	140	5	6	CLR	30.38	37	31						
11	140	5	6	CLR	30.38	41	33						
12	140	5	6	CLR	30.38	43	35						
13	140	5	7	CLR	30.36	43	35						
14	140	5	8	CLR	30.36	43	35						
15	120	5	8	CLR	30.34	40	34						
16	180	5	7	CLR	30.34	40	34						
17	180	4	5	CLR	30.34	40	34						
18	180	3	3	CLR	30.34	40	34						
19	055	5	3	CLR	30.34	40	34						
20	055	5	5	CLR	30.32	42	35						
21	055	5	5	CLR	30.32	41	35						
22	055	5	4	CLR	30.30	40	33						
23	055	5	4	CLR	30.30	40	33						
24	055	5	4	CLR	30.26	40	33						

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week  (1-7) (GMT)	POSITION OF SHIP			TIME  GMT	Total Cloud Amt  (Coded)	WIND		Visi- bili- ty  (90-99)	WEATHER		PRES- SURE  Baro- meter Cor- rected (mb)	Air Temp  (°F)	CLOUDS				
		Oc- tant  (0-3, 5-8)	Latitude  (Degrees and tenths)	Longitude  (Degrees and tenths)			Direc- tion  (True) (00-36)	Speed  (True) (Knots)		Present	Past			Amount of Clouds C <sub>L</sub> (Coded)	Type C <sub>L</sub> (0-9)	Height C <sub>L</sub> Clouds (Coded)	Type C <sub>M</sub> (0-9)	Type C <sub>H</sub> (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L <sub>a</sub> L <sub>b</sub> L <sub>c</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
													Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
D <sub>s</sub>	v <sub>s</sub>	a	pp	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e		
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										
				8				0			1				1										

MILES STEAMED  
0000-2400

IN PORT

FUEL CONSUMED  
0000-2400

IN PORT

EXAMINED

S. C. Muller

U. S. N. NAVIGATOR







CONFIDENTIAL

PAGE \_\_\_\_\_

NAVPERS 138 (REV. 1-44)

## DECK LOG—ADDITIONAL REMARKS SHEET

UNITED STATES SHIP ABBOT (DD629)Thursday 29 JAN 1959  
(Day) (Date) (Month)

## ADDITIONAL REMARKS

00-04 Moored starboard side to USS HUNT (DD674) with standard mooring lines in a nest of four ships in berth 153, Newport, R.I. Ships in nest are, from starboard to port USS CASCADE (AD16), HUNT, ABBOT, and USS HUGH PURVIS (DD709). Condition of readiness five and material condition Yoke set. Ships present include various units of U.S. Atlantic Fleet plus district craft. SOPA is COMDESLANT in USS YOSEMITE (AD19). JF

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

04-08 Moored as before.

*J.F. Skowronek*  
J.F. SKOWRONEK  
ENS USNR

08-12 Moored as before. 0745 Mustered the crew at quarters; Absentees: STUCKEY, P., EM3, 282 08 82, USN, UA since 0730 this date. 0815 STUCKEY, P., EM3, 282 08 82, USN, returned aboard having been UA since 0730 this date. 0900 COMDESLANT hauled down his flag on USS YOSEMITE. COMDESFLOT TWO in USS CASCADE became SOPA. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal. JT

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

12-16 Moored as before.

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

16-20 Moored as before.

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

20-24 Moored as before.

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

DECK LOG—ADDITIONAL REMARKS SHEET

CONFIDENTIAL

UNITED STATES SHIP \_\_\_\_\_

(Day)

(Date)

(Month)

, 19\_\_\_\_

ADDITIONAL REMARKS

APPROVED:

EXAMINED:

U. S. N.

COMMANDING.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH











## FOR OFFICIAL USE ONLY

## DECK LOG—SMOOTH REMARKS SHEET

NAVPERS-719 (New 10-56)

UNITED STATES SHIP ABBOT (DD629)Friday 30 January 19 59  
(Day) (Date) (Month)

XXXXXXSMOOTH REMARKS—CONTINUEDXXXXXX

00-04 Moored starboard side to USS HUNT (DD674) with standard mooring lines and an eight inch line over aft to the pier in a nest of four ships in berth 153, Newport, R.I. Ships in nest are from starboard to port, USS CASCADE (AD16), USS HUNT, USS ABBOT, and USS HUGH PURVIS (DD709). Condition of readiness five and material condition Yoke set. Ships present include various units of the U.S. Atlantic Fleet and district craft. SOPA is COMDESFLOT TWO in USS CASCADE. <sup>0305</sup> Commenced taking on fresh water.

*R. P. Stoddart*  
R.S. STODDART  
ENS USN

04-08 Moored as before. 0545 Ceased taking on fresh water. Received 4980 gallons. 0650 Mustered <sup>the deck</sup> ~~the~~ crew at quarters; Unauthorized absentees: GRIPPER, E., 525 73 28, SA, USN, CUSICK A., 455 84 31, SN, USNR, BEITZ, L.J., 793 23 18, EN3, USN, HINES, W.L., 524 50 25, BT2, USN, UA since 0700, 30 January 1959.

*G. C. Mullin*  
G.C. MULLIN  
ENS USN

08-12 Moored as before. 0700 Commenced preparations for getting underway. 0705 Stationed the Special Sea Detail. 0740 Completed preparations for getting underway. Draft: Forward 14'3", aft 14'0". 0743 Underway for VIRGINIA CAPES operating area as a unit of Task Group 83.4 in accordance with COMCARDIV 20 Op-Order 1-59. Maneuvering on various courses at various speeds <sup>10m</sup> to clear Pier 1, Operations Officer at the Conn, the Navigator on the bridge. 0757 Commenced sounding fog signals, visibility reduced to zero. Steering various courses at various speeds <sup>10m</sup> standing out of NARRAGANSETT BAY employing radar navigation. 0851 Ceased sounding fog signals visibility increased to 2 miles. 0906 Passed BRENTON REEF LIGHT SHIP abeam to port at 900 yards. 0912 Set condition of readiness four, secured the Special Sea Detail. 0915 Came to course 180, speed 12 knots. 0940 Executed formation 1. This ship is guide in station 1, HUNT in station 2 at double standard distance. 0946 C/S to 25 knots. 1010 Made daily inspection of magazines and smokeless powder samples; Conditions normal. 1015 Manned General Quarters for drill. 1025 C/C to 215. 1059 Secured from General Quarters.

*R. H. Daus*  
R.H. DAUS  
LTJG USN

12-16 Steaming as before. 1335 C/S to 26 knots. 1425 C/S to 27 knots. 1437 C/S to 29 knots. 1441 C/C to 220. 1450 C/S to 27 knots. 1454 C/S to 24 knots. 1457 C/S to 23 knots. 1501 Steering various courses at various speeds to remain in vicinity of USS HUNT who is having engineering difficulties. 1535 C/C to 220, speed 11 knots.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

16-18 Steaming as before. 1620 C/S to 15 knots. 1645 C/S to 20 knots. 1648 C/S to 25 knots. 1720 C/S to 27 knots. 1800 C/S to 25 knots.

*J. B. Roberts*  
J.B. ROBERTS  
LTJG USNR

18-20 Steaming as before. 1910 Rendezvoused with USS TARAWA (CVS40). 1915 Maneuvering on various courses and speeds to take station 1 in screen 302, screen axis 070. 1944 C/S to 12 knots. On station, guide is TARAWA bearing 300, range 3200 yards. Base course 070, base speed 12 knots. 2030 C/C to 130. 2117 Changed screen axis to 130, maneuvering to regain station 1, 2125 On station, guide bearing 000, range 3200 yards.

*R. H. Daus*  
R.H. DAUS  
LTJG USN

20-24 Steaming as before.

*J. S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR, USN

U.S.N. COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS, USN

U.S.N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPERS-719 (New 10-56)

DECK LOG—SMOOTH REMARKS SHEET

UNITED STATES SHIP

ABOARD (DECK) 19  
(Day) (Date) (Month)

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR.



FOR OFFICIAL USE ONLY

NAVPER-717 (REV. 10-56)

## DECK LOG-WEATHER OBSERVATION SHEET

USS ABBOT (DD 629) ZONE DESCRIPTION +5R DATE 31 JANUARY 1959  
AT/PASSAGE FROM OP-AREA TO \_\_\_\_\_

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	010	8	8	OVC	29.97	48	41	10	1000	SC	64	010	1
02	010	8	8	OVC	29.97	48	41	10	1000	SC	62	010	1
03	020	8	8	OVC	29.97	47	41	10	1000	SC	62	020	1
04	020	8	8	OVC	29.97	48	42	10	1000	SC	62	020	1
05	020	8	8	OVC	29.99	50	42	10	1000	SC	62	020	1
06	020	8	8	OVC	30.00	51	43	10	1200	SC	62	020	1
07	350	8	8	OVC	30.02	51	43	10	1200	SC	62	350	1
08	350	8	6	OVC	30.04	51	43	10	1200	SC	62	350	1
09	350	8	6	OVC	30.07	51	43	10	1200	SC	62	350	1
10	350	8	6	OVC	30.10	51	43	10	1200	SC	62	350	1
11	000	8	6	OVC	30.08	49	42	10	1400	SC	62	000	1
12	000	8	6	OVC	30.06	47	42	10	1400	SC	62	000	2
13	000	12	8	OVC	30.06	47	42	10	1400	SC	66	000	2
14	000	12	8	OVC	30.06	47	42	10	1400	SC	66	000	3
15	000	8	8	OVC	30.09	46	42	10	1400	SC	66	000	3
16	000	10	8	OVC	30.10	47	42	9	1400	SC	66	000	3
17	000	10	8	SET	30.11	47	42	4	1400	CS	66	000	3
18	000	10	8	SET	30.14	46	40	4	1400	CS	66	000	2
19	000	10	8	SET	30.18	46	40	4	1500	CS	68	000	1
20	000	10	8	BKN	30.20	45	40	7	1500	CS	68	000	1
21	000	10	8	OVC	30.22	44	40	8	1600	CS	68	000	1
22	000	10	8	OVC	30.22	44	40	9	1600	CS	68	000	1
23	000	10	8	OVC	30.22	44	40	9	1600	CS	68	000	1
24	000	10	8	OVC	30.22	44	40	10	1600	CS	68	000	2

POSITION	ZONE	TIME
0800		
L <u>32°47' N</u>	BY <u>LORAN</u>	
λ <u>71°48' W</u>	BY <u>LORAN</u>	
1200		
L <u>32°47.5' N</u>	BY <u>LORAN</u>	
λ <u>71°20' W</u>	BY <u>LORAN</u>	
2000		
L <u>32°43' N</u>	BY <u>LORAN</u>	
λ <u>71°14' W</u>	BY <u>LORAN</u>	

LEGEND: 1 - CELESTIAL  
2 - ELECTRONIC  
3 - VISUAL  
4 - D. R.

## CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

## POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

## CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

## POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

TABLE II  
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp	CLOUDS				
		Occ- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected (mb)	Amount of Clouds L (0-100)	Type C (0-9)	Height C Clouds L (0-9)	Type C M (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(0-100)	(True) (00-36)	(True) (Knots) (00-99)	(00-99)	(00-99)	(0-9)	(°F)						
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L <sub>a</sub> L <sub>a</sub> L <sub>a</sub>	L <sub>o</sub> L <sub>o</sub> L <sub>o</sub>	GG	N	dd	ff	VV	ww	W	PPP	TT	N <sub>h</sub>	C <sub>L</sub>	h	C <sub>M</sub>	C <sub>H</sub>

## CURRENT DATA

FROM \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
TO \_\_\_\_\_ (ZT) \_\_\_\_\_ (Date)  
SET \_\_\_\_\_  
DRIFT \_\_\_\_\_

## POSITION BETWEEN FIXES

MID. L \_\_\_\_\_  
MID. λ \_\_\_\_\_

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESSURE TENDENCY		SIGNIFICANT CLOUD				Indicator	Diff Sea Air  °F	Dew Point  °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D <sub>s</sub>	V <sub>s</sub>	e	DD	8	N <sub>s</sub>	C	h <sub>s</sub> h <sub>s</sub>	0	T <sub>s</sub> T <sub>s</sub>	T <sub>d</sub> T <sub>d</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	1	d <sub>w</sub> d <sub>w</sub>	P <sub>w</sub>	H <sub>w</sub>	C <sub>2</sub>	K	D <sub>i</sub>	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED  
0000-2400

290.2

FUEL CONSUMED  
0000-2400

15942

EXAMINED

L. C. Muller

U. S. N. NAVIGATOR







~~CONFIDENTIAL~~

PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

~~DECK LOG~~ ADDITIONAL REMARKS SHEET

UNITED STATES SHIP

ABBOT (DD629)

SATURDAY

31

JAN

19 59

(Day)

(Date)

(Month)

## ADDITIONAL REMARKS

00-04 Steaming in company with TU 83.4.0 composed of USS TARAWA (CVS40) and USS HUNT (DD674) in coastal waters of Eastern United States. This ship in station 1 of screen formation 3C2 with TARAWA guide in station 0 bearing 000, range 3,200 yards. SOPA and OTC is COMCARDIV 20 in TARAWA. Screen commander is COMDESDIV 102 in ABBOT. Formation axis 130, formation course 130, speed 12 knots. Condition of readiness four and material condition Yoke set. 0358 C/C to 110, C/S to 15 knots.

*J.B. Roberts*  
J.B. ROBERTS  
LTJG USNR

04-08 Steaming as before. 0420 C/C to 130, C/S to 12 knots. 0530 C/S to 17 knots maneuvering on various courses to take standby station 500 yards astern of TARAWA. 0625 Commenced approach to starboard side of carrier, Officer of the Deck at the conn. 0645 Received first fuel hose. 0649 Commenced receiving fuel. 0709 Fueling completed. 0719 All lines and hoses *ye W* clear. Maneuvering to take life guard station 1000 yards astern of carrier. 0731 On station, guide bears 000, range 1000 yards. 0735 Received fueling report. Received 31,094 gallons NSFO.

*R.H. DAUS*  
R.H. DAUS  
LTJG USN

08-12 Steaming as before. 0745 Mustered the crew on stations; absentees: GRIPPER, E., 525 73 28, SA, USN; CUSICK, A., 455 84 31, SN, USNR; ~~BETZ, L.J., 793 23 18, EN3, USN; and HINES, W.L., 524 50 85, BT2, USN~~, all UA since 0700, 30 January 1959. 0919 Released from lifeguard duties; proceeding at various courses and speeds to rendezvous with USS JALLAO (SS368), in company with USS HUNT and USS BENHAM (DD796). 0945 Set condition IAS. Maneuvering on various courses at 18 knots while conducting anti-submarine exercises. 1100 Made daily inspection of magazines and smokeless powder samples; conditions normal. Made weekly tests of magazine sprinkling and flooding system; conditions satisfactory. 1234 Secured from condition IAS. *JT JT JT JT*

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

12-16 Steaming as before. Maintaining distance of 4000 yards from BENHAM and HUNT. 1315 Set condition IAS. Maneuvering on various courses at 22 knots while conducting anti-submarine exercises. 1455 Secured from IAS. Maneuvering *on* various courses at 12 knots in order to remain within ten miles of JALLAO. *gr*

*J.B. Roberts*  
J.B. ROBERTS  
LTJG USNR

16-18 Steaming as before. 1741 Manuevering on various courses and speeds to close datum for commencement of ASW exercises.

*R.H. DAUS*  
R.H. DAUS  
LTJG USN

18-20 Steaming as before. 1800 Set modified condition IAS. Steaming on various courses at various speeds while conducting anti-submarine exercises.

*J.S. Thurneysen*  
J.S. THURNEYSEN  
LTJG USN

20-24 2040 Secured from condition IAS. Maneuvering at various courses and speeds to take station 3 in formation 1. Formation course is 270, speed 10 knots. Guide is USS FORREST SHERMAN in station 1. 2050 On station. Guide bears 270 range 2000 yards. 2107 C/C to 335. C/S to 15 knots. 2135 C/S to 20 knots. 2200 C/C to 010. 2234 C/C to 070. 2235 C/S to

APPROVED:

EXAMINED:

ROBERT M. POND, CDR,

U. S. N.

COMMANDING.

GEORGE C. MULLIN, ENS,

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1945 O - 654087

NAVY-DPPO IND, BOSTON, MASS.



PAGE \_\_\_\_\_

NAVPERS 135 (REV. 1-44)

~~DECK LOG~~ ADDITIONAL REMARKS SHEET~~CONFIDENTIAL~~

UNITED STATES SHIP

ABBOT (DD629)

SATURDAY

(Day)

31

(Date)

JAN

(Month)

1959

~~ADDITIONAL REMARKS~~

12 knots. 2240 C/C to 040. 2246 C/C to 020. 2250 Maneuvering at various courses at various speeds to take station 1 in screen 11 C7. Formation axis 180, formation course 165, speed 12 knots. Guide is USS TARAWA (CVS40). OTC is COMCARDIV 20 in TARAWA. 2315 On station, guide bears 000, range 4000 yards. *LCM*

*J.B. Roberts*  
J.B. ROBERTS  
LTJG USNR

APPROVED:

EXAMINED:

*Robert M. Pond*  
ROBERT M. POND, CDR.

U. S. N.

COMMANDING.

*George C. Mullin*  
GEORGE C. MULLIN, ENS.

U. S. N.

NAVIGATOR

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH